

GUANGDONG XINFAPRECISION METAL TECHNOLOGY CO.,LTD  
ZHENGYA AREA,FENGCHONG VILLAGE,ZHONGTANG TOWN,DONGGUAN CITY,GUANGDONG  
PROVINCE

SGS Job No. : CP16-016498 - GZ  
Sample Name : SUS stainless steel(Suitable for 201,301,304)  
End Uses : Component of electronic products  
Composition/Ingredient of sample (as per client submission) : See section 3 Composition/information on ingredients on the SDS report  
Job Receiving Date : 31 Mar 2016  
SDS Preparation Period : 31 Mar 2016 - 07 Apr 2016

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached.

Remark:

- 1.The SDS is prepared based on the information provided by client.
- 2.This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



Oscar Wang  
Approved Signatory



SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch Testing Service

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgs.com.cn  
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

# Safety Data Sheet

## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** SUS stainless steel(Suitable for 201,301,304)
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture:** Component of electronic products
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer / Supplier:** GUANGDONG XINFA PRECISION METAL TECHNOLOGY CO.,LTD
- **Full address:**  
ZHENGYA AREA,FENGCHONG VILLAGE,ZHONGTANG TOWN,DONGGUAN CITY,GUAGNDONG PROVINCE CHINA
- **Phone number:** +86 0769-81311801
- **Email:** xy@301bxg.cn
- **Only Representative / other EU contact point:** Not available
- **Further information obtainable from:**  
GUANGDONG XINFA PRECISION METAL TECHNOLOGY CO.,LTD
- **1.4 Emergency telephone number:**  
UNITED KINGDOM  
National Poisons Information Service  
Tel: +44 (0) 844 892 0111  
+86 13827259944 Xiao xi
- **1.5 Reference Number:** CP16-016498 - GZ , CANEC1605184001
- **1.6 Remark:**  
This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of Regulation 1272/2008/EC.
- **Classification system:**  
The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety Data Sheet

## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

Trade name: SUS stainless steel(Suitable for 201,301,304)

(Contd. of page 1)

## · Hazard pictograms



GHS07 GHS08

## · Signal word Warning

## · Hazard-determining components of labelling:

nickel

## · Hazard statements

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

## · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label).

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## · 2.3 Other hazards:

## · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

## · 3.2 Mixtures

## · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of listed hazard statements refer to section 16.

## · Composition:

CAS: 7439-89-6 EINECS: 231-096-4	iron	72,0421%
CAS: 7440-47-3 EINECS: 231-157-5	chromium substance with a Community workplace exposure limit	18,22%
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel Carc. 2, H351; STOT RE 1, H372;  Skin Sens. 1, H317	8,04%
CAS: 7439-96-5 EINECS: 231-105-1	manganese substance with a Community workplace exposure limit	1,132%
CAS: 7440-21-3 EINECS: 231-130-8	silicon substance with a Community workplace exposure limit	0,49%
CAS: 7440-44-0 EINECS: 231-153-3	carbon substance with a Community workplace exposure limit	0,042%

(Contd. on page 3)

# Safety Data Sheet



## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

Trade name: SUS stainless steel(Suitable for 201,301,304)

(Contd. of page 2)

CAS: 7723-14-0 EINECS: 231-768-7 Index number: 015-002-00-7	red phosphorus 	0,0318%
CAS: 7704-34-9 EINECS: 231-722-6 Index number: 016-094-00-1	sulfur 	0,0021%

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

##### · General description:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

##### · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

##### · After skin contact: Immediately wash with water and soap and rinse thoroughly.

##### · After eye contact: Rinse opened eye for several minutes under running water.

##### · After swallowing: If symptoms persist consult doctor.

#### · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

##### · Suitable extinguishing agents:

CO<sub>2</sub> powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### · 5.2 Special hazards arising from the substance or mixture:

During heating or in case of fire poisonous gases are produced.

#### · 5.3 Advice for firefighters

##### · Protective equipment: Mouth respiratory protective device.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures:

Mount respiratory protective device.

#### · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### · 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EU

(Contd. on page 4)

# Safety Data Sheet

## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

Trade name: SUS stainless steel(Suitable for 201,301,304)

(Contd. of page 3)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling:**  
 Ensure good ventilation/exhaustion at the workplace.  
 Open and handle receptacle with care.  
 For the general occupational hygienic measures refer to Section 8.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s):** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

<b>7440-47-3 chromium (18,22%)</b>	
IOELV (EU)	Long-term value: 2 mg/m <sup>3</sup> as Cr
WEL (Great Britain)	Long-term value: 0,5 mg/m <sup>3</sup>
AGW (Germany)	Long-term value: 2 E mg/m <sup>3</sup> I(I);10, EU
VME (France)	Long-term value: 2 mg/m <sup>3</sup> en Cr
<b>7440-02-0 nickel (8,04%)</b>	
WEL (Great Britain)	Long-term value: 0,5 mg/m <sup>3</sup> as Ni; Sk; Carc
MAK (Germany)	einatembare Fraktion; vgl.Abschn.XII
VME (France)	Long-term value: 1 mg/m <sup>3</sup> C2
<b>7439-96-5 manganese (1,132%)</b>	
AGW (Germany)	Long-term value: 0,5E mg/m <sup>3</sup> DFG,Y,10
<b>7440-21-3 silicon (0,49%)</b>	
WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
VME (France)	Long-term value: 10 mg/m <sup>3</sup>
<b>7440-44-0 carbon (0,042%)</b>	
WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable
AGW (Germany)	Long-term value: 1,25* 10** mg/m <sup>3</sup> 2(II);*alveolengängig**einatembare; AGS, DFG
<b>7723-14-0 red phosphorus (0,0318%)</b>	
WEL (Great Britain)	Short-term value: 0,3 mg/m <sup>3</sup> Long-term value: 0,1 mg/m <sup>3</sup>
AGW (Germany)	Long-term value: 0,01 E mg/m <sup>3</sup> 2(II);AGS, Y
VME (France)	Short-term value: 0,3 mg/m <sup>3</sup> Long-term value: 0,1 mg/m <sup>3</sup>

(Contd. on page 5)

EU

# Safety Data Sheet

## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

Trade name: SUS stainless steel(Suitable for 201,301,304)

(Contd. of page 4)

- **DNELs:** Not available
- **PNECs:** Not available

<b>· Ingredients with biological limit values:</b>	
<b>7439-96-5 manganese</b>	
BGW (Germany)	20 µg/l Untersuchungsmaterial: Vollblut Probennahmezeitpunkt: bei Langzeitexposition: Nach mehreren vorangegangenen Schichten, Expositionsende bzw. Schichtende Parameter: Mangan

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**  
Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.
- **Appropriate engineering controls:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
See Section 7 for information about design of technical facilities.
- **Personal protective equipment**
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

- **Environmental exposure controls:**  
Control measures must be made in accordance with Community environmental protection legislation.

EU

(Contd. on page 6)



# Safety Data Sheet

## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

Trade name: SUS stainless steel(Suitable for 201,301,304)

(Contd. of page 5)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · Appearance

Form: Solid  
 Colour: Stainless steel metal color

· Odour: Odourless  
 · Odour threshold: Not available

· pH-value: Not available

##### · Change in condition

Melting point/Melting range: Not available  
 Boiling point/Boiling range: Not available

· Freezing point: Not available

· Flash point: Not available

· Flammability (solid, gaseous): Not available

· Auto-Ignition temperature: Not available

· Decomposition temperature: Not available

· Self-igniting: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

##### · Explosion limits

Lower: Not available  
 Upper: Not available

· Oxidizing properties: Not available

· Vapour pressure: Not available

· Density: Not available

· Relative density: Not available

· Vapour density: Not available

· Evaporation rate: Not available

· Solubility in / Miscibility with water: Not available

· Partition coefficient (n-octanol/water): Not available.

##### · Viscosity

Dynamic: Not available.  
 Kinematic: Not available

· 9.2 Other information No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity: Data not available

· 10.2 Chemical stability: Data not available

· 10.3 Possibility of hazardous reactions: No dangerous reactions known.

· 10.4 Conditions to avoid: No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

EU

(Contd. on page 7)

# Safety Data Sheet

## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

Trade name: SUS stainless steel(Suitable for 201,301,304)

(Contd. of page 6)

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

<b>7439-89-6 iron</b>		
Oral	LD50	30000 mg/kg (rat)
<b>7439-96-5 manganese</b>		
Oral	LD50	9000 mg/kg (rat)

- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitization:**  
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**  
Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**  
May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.
- **12.7 Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

EU

(Contd. on page 8)



# Safety Data Sheet

## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

Trade name: SUS stainless steel(Suitable for 201,301,304)

(Contd. of page 7)

### SECTION 14: Transport information

· 14.1 UN-Number · ADR,RID,ADN, IMDG, IATA	Not applicable
· 14.2 UN proper shipping name · ADR,RID,ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es) · ADR,RID,ADN, IMDG, IATA · Class · Label	Not applicable -
· 14.4 Packing group · ADR,RID,ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards · Marine pollutant:	No
· 14.6 Special precautions for user: · Danger code (Kemler):	Not applicable. -
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· 14.8 Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK(German Maximum Workplace Concentration)

7440-02-0 | nickel

1

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category Not applicable

· Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

· Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

· National regulations:

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (17/12/2015)

None of the ingredients is listed

· REACH Regulation Annex XVII Restriction (22/4/2015)

See Section 16 for information about restriction of use.

None of the ingredients is listed

· REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

· Relevant hazard statements

H228 Flammable solid.

(Contd. on page 9)

# Safety Data Sheet

## 1907/2006/EC, 1272/2008/EC

Printing date 07.04.2016

Revision: 07.04.2016

**Trade name: SUS stainless steel(Suitable for 201,301,304)**

(Contd. of page 8)

*H317 May cause an allergic skin reaction.*

*H351 Suspected of causing cancer.*

*H372 Causes damage to organs through prolonged or repeated exposure.*

*H412 Harmful to aquatic life with long lasting effects.*

\*\*\*\*\*

*The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.*

### DISCLAIMER OF LIABILITY

*The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.*

### · Remark

*This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.*

### · Abbreviations and acronyms:

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Flam. Sol. 1: Flammable solids, Hazard Category 1*

*Skin Sens. 1: Sensitisation - Skin, Hazard Category 1*

*Carc. 2: Carcinogenicity, Hazard Category 2*

*STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1*

*STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2*

*Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3*

\*\*\*\*\*

*End of document*